Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Central Montana Resources, LLC
Well Name/Number: Snowmane No. 2
Location: SW NW Section 9 T13N R29E
County: Petroleum , MT; Field (or Wildcat) W/C
Air Ovality
(possible concerns)
Long drilling time: No, 10 to 15 days drilling time.
Unusually deep drilling (high horsepower rig): No, a triple derrick drilling rig to drill a
directional hole to 4609'MD/4600'TVD.Heath Formation.
Possible H2S gas production: Slight chance H2S.
In/near Class I air quality area: No class I air quality area.
Air quality permit for flaring/venting (if productive) Yes, DEQ air quality permit required
under 75-2-211.
diddi 75 Z Z 11.
Mitigation:
X Air quality permit (AQB review)
Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using triple derrick drilling rig to drill a directional hole
to 4609'MD/4600'TVD.Heath Formation.
Water Quality
(possible concerns)
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud.
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review.
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface.
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud.
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils.
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No Mitigation:
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No Mitigation: X Lined reserve pit
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No Mitigation: X Lined reserve pit X Adequate surface casing
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No Mitigation: X Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No Mitigation: X Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage Closed mud system
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No Mitigation: X Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage Closed mud system Off-site disposal of solids/liquids (in approved facility)
(possible concerns) Salt/oil based mud: _No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: _No high water table in the area of review. Surface drainage leads to live water: _No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: _No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: _No, silty sandy bentonitic soils. Class I stream drainage: _No
(possible concerns) Salt/oil based mud: No, surface hole will be drilled with freshwater. Mainhole will be drilled with freshwater and freshwater drilling mud. High water table: No high water table in the area of review. Surface drainage leads to live water: No, closest drainage is an unnamed ephemeral tributary drainages to Anderson Creek, about 1/8 of a mile to the southwest and 1/16 of a mile to the northeast from this location. Water well contamination: No, no water wells within 1 mile and further in any direction from this location. This well will set 9 5/8" surface casing to 500' and cement to surface. Well will be drill with 1% KCL mud. Porous/permeable soils: No, silty sandy bentonitic soils. Class I stream drainage: No Mitigation: X Lined reserve pit X Adequate surface casing Berms/dykes, re-routed drainage Closed mud system Off-site disposal of solids/liquids (in approved facility)

Freshwater mud system to be used from surface to TD. Freshwater drilled cuttings and mud solids will buried in the lined pit. Lined pit will backfilled when dry. No concerns.

Soils/Vegetation/Land Use

(possible concerns)

Steam crossings: No stream crossings require.

High erosion potential: No, small cut, up to 4.9' and small fill, up to 5.5', required. Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If productive unused portion of drillsite will be reclaimed.

Unusually large wellsite: No, 300'X400' location size required.

Damage to improvements: Slight, surface use is sage brush lands just off the edge of cultivated land. The actual wellsite is on sage brush

Conflict with existing land use/values: Slight

Mitigation

- ___ Avoid improvements (topographic tolerance)
- Exception location requested
- X Stockpile topsoil
- Stream Crossing Permit (other agency review)
- X Reclaim unused part of wellsite if productive
- Special construction methods to enhance reclamation

 X Other Requires DEQ General Permit for Storm Water Discharge Associated with Construction Activity, under ARM 17.30.1102(28).

Comments: Access will be from existing county road and ranch trail. Short road to be built from trail access into location, Freshwater drill cuttings and mud solids will buried in the lined pit. Lined pit will backfilled when dry. No concerns.

Health Hazards/Noise

(possible concerns)

Proximity to public facilities/residences: Residence, none within 1 mile in any direction from this location.

Possibility of H2S: Slight chance H2S.

Size of rig/length of drilling time: Small drilling rig/short 10 to 15 days drilling time.

Mitigation:

- X Proper BOP equipment
- __ Topographic sound barriers
- H2S contingency and/or evacuation plan
- Special equipment/procedures requirements

Comments: Operational BOP and adequate surface casing should mitigate any problems. No concerns.

Wildlife/recreation

(possible concerns)

Proximity to sensitive wildlife areas (DFWP identified): None identified.

Proximity to recreation sites: None identified. Creation of new access to wildlife habitat: No

Conflict with game range/refuge management: No

Threatened or endangered Species: Threatened or endangered species identified are the Pallid Sturgeon and Black-footed Ferret. Species of concern are the Greater Sage

Grouse and Sprague's Pipit. Proposed species is the Mountain Plover. NH tracker
website lists species of concern as the Greater Sage Grouse and Black-footed Ferret. Mitigation:
Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other:
Comments: Private surface sage brush lands adjacent to cultivated surface
lands. No concerns.
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites None identified.
Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other:
Comments: Private sage brush surface lands adjacent to cultivated surface
lands. No concerns.
Social/Economic
(possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments: Well is a wildcat, until production is established no social or
economic impact can be assessed.
Remarks or Special Concerns for this site
Well is a wildcat directional hole to 4609'MD/4600'TVD.Heath Formation.
Summary: Evaluation of Impacts and Cumulative effects
Canimary. Evaluation of impacto and Canimative chooses
No long term impacts expected. Some short term impacts will occur.
I conclude that the approval of the subject Notice of Intent to Drill (does/does not)
constitute a major action of state government significantly affecting the quality of the
human environment, and (does/ does not) require the preparation of an environmental
impact statement.
Prepared by (BOGC): _/s/ Steven Sasaki
(title:) Chief Field Inspector
Date: February 14, 2011
Other Persons Contacted:
The state of the s

Montana Bureau of Mines and Geology GWIC website
(Name and Agency) Petroleum County water wells
(subject discussed) _February 8, 2011 (date)
Montana Natural Heritage Program Website (FWP) (Name and Agency) Heritage State Rank= S1, S2, S3, T13N R29E (subject discussed)
_February 9, 2011 (date)
US Fish and Wildlife, Region 6 website (Name and Agency) ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA COUNTIES, Petroleum County (subject discussed)
February 8, 2011 (date)
If location was inspected before permit approval: Inspection date: _February 14, 2011 Inspector: _Fraser Others present during inspection: None